

# MARTINS TRAILER PARTS

## CATALOGUE



# Martins Trailer Parts

## INDEX

➤ Company Overview	_____	Page 2
➤ Gas Spring Products	_____	Page 3
➤ Custom Labeling	_____	Page 4
➤ Gas Spring force diagram	_____	Page 5
➤ Gas Spring force diagram	_____	Page 6
➤ Gas Spring Standard Range	_____	Page 7-11
➤ Gas Spring Stainless Range	_____	Page 12-14
➤ Gas Spring Cabinet Range	_____	Page 15
➤ Gas Spring Locking Range	_____	Page 16
➤ Chair Struts	_____	Page 17
➤ Seat Dampers	_____	Page 18
➤ Protective Tubing & oil seals	_____	Page 19
➤ Accessories	_____	Page 20-23
➤ Compression Locks	_____	Page 24
➤ Folding T Handle	_____	Page 25
➤ Locking Rod	_____	Page 26
➤ Over centre Fasteners	_____	Page 27
➤ Piano Hinges	_____	Page 28
➤ Lashing Ring	_____	Page 29
➤ Antiluce & Spring Bolt	_____	Page 30



MARTINS TRAILER PARTS Pty. Ltd.  
4 Katanning St, Bayswater. WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## AUSTRALIAN GAS SPRING PRODUCTS

- LiftEasy gas springs are available ex stock
- LiftEasy gas struts are manufactured to QS-9000 standards
- Black shaft salt nitrate process with anti corrosion protection
- LiftEasy springs are exclusive to AGS in Aust & N.Z
- Manufactured with a unique twin sealing system
- Sold with a 2 year warranty or 20,000 cycles
- Custom pressures & labels upon request.
- LiftEasy gas springs can also be made to your specific requirements.




MARTINS TRAILER PARTS Pty. Ltd.  
4 Katanning St, Bayswater. WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## GAS SPRING FORCE DIAGRAM

### Operating principle of gas spring

The gas spring is a hydro pneumatic adjusting element, consisting of a pressure tube, a piston rod with piston and appropriate connection fittings. It is filled with compressed nitrogen, which acts with equal pressure on differently dimensioned cross-sectional areas of the piston. This produces a force in the extension direction. This extension force can be exactly defined within physical limits through the appropriate selection of the filling pressure.



### Spring force rod reading at 5mm from each end of stroke

- F1 = Extension force piston rod extended
- F2 = Extension force piston rod extracted
- F3 = Compression force piston rod extended
- F4 = Compression force piston rod retracted
- FR = (friction force) = F3-F1, F4-F2
- Spring rate (X) = F2/F1


The value F1 measured at 20 degrees Celsius  $\pm$  2 degrees with the piston rod pointing downwards.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 6/15 STANDARD RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK15-128/050N	030	128	098	6/15	50-400
GSK15-195/050N	060	195	135	6/15	50-400
GSK15-220/050N	075	220	145	6/15	50-400
GSK15-275/050N	100	275	175	6/15	50-400
GSK15-315/050N	120	315	195	6/15	50-400
GSK15-330/050N	130	330	200	6/15	50-400
GSK15-355/050N	140	355	215	6/15	50-400
GSK15-375/050N	150	375	225	6/15	50-400


- Please note: Custom struts available upon request.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater. WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 8/18 STANDARD RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK18-195/100N	060	195	135	8/18	100-700
GSK18-220/100N	075	220	145	8/18	100-700
GSK18-245/100N	085	245	160	8/18	100-700
GSK18-255/100N	090	255	165	8/18	100-700
GSK18-275/100N	100	275	175	8/18	100-700
GSK18-285/100N	105	295	195	8/18	100-700
GSK18-295/100N	110	295	185	8/18	100-700
GSK18-315/100N	120	315	195	8/18	100-700
GSK18-330/100N	130	330	200	8/18	100-700
GSK18-340/100N	135	340	205	8/18	100-700
GSK18-375/100N	150	375	225	8/18	100-700
GSK18-405/100N	165	405	240	8/18	100-700
GSK18-430/100N	175	430	255	8/18	100-700
GSK18-450/100N	190	450	260	8/18	100-700
GSK18-475/100N	200	475	275	8/18	100-700
GSK18-485/100N	205	485	280	8/18	100-700
GSK18-500/100N	215	500	285	8/18	100-700
GSK18-505/100N	215	505	290	8/18	100-700
GSK18-525/100N	225	525	300	8/18	100-700
GSK18-550/100N	240	550	310	8/18	100-700
GSK18-575/100N	250	575	325	8/18	100-700
GSK18-585/100N	255	585	330	8/18	100-700
GSK18-630/100N	280	630	350	8/18	100-700
GSK18-670/100N	295	670	375	8/18	100-700
GSK18-700/100N	310	700	390	8/18	100-700
GSK18-750/100N	340	750	410	8/18	100-700

- Please note: AGS recommend any strut gassed beyond 600N to have metal ball cups attached.
- Please note: Custom struts available upon request.




MARTINS TRAILER PARTS Pty. Ltd.

4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156

Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 10/22 STANDARD RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK22-295/100N	110	295	185	10/22	100-1100
GSK22-330/100N	125	330	205	10/22	100-1100
GSK22-375/100N	150	375	225	10/22	100-1100
GSK22-405/100N	165	405	240	10/22	100-1100
GSK22-430/100N	175	430	255	10/22	100-1100
GSK22-450/100N	185	450	265	10/22	100-1100
GSK22-505/100N	215	505	290	10/22	100-1100
GSK22-525/100N	225	525	300	10/22	100-1100
GSK22-550/100N	235	550	315	10/22	100-1100
GSK22-595/100N	260	595	335	10/22	100-1100
GSK22-630/100N	275	630	355	10/22	100-1100
GSK22-700/100N	310	700	390	10/22	100-1100
GSK22-750/100N	335	750	415	10/22	100-1100
GSK22-795/100N	360	795	435	10/22	100-1000
GSK22-830/100N	375	830	455	10/22	100-1000
GSK22-900/100N	400	900	490	10/22	100-1000
GSK22-1030/100N	475	1030	555	10/22	100-1000


Please note: Custom struts available upon request.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 12.5/27 STANDARD RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK27-505/100N	215	505	290	12.5/27	100-1600
GSK27-525/100N	225	525	300	12.5/27	100-1600
GSK27-550/100N	235	550	315	12.5/27	100-1600
GSK27-700/100N	310	700	390	12.5/27	100-1600
GSK27-830/100N	375	830	455	12.5/27	100-1600
GSK27-900/100N	410	900	490	12.5/27	100-1500
GSK27-1100/100N	510	1100	590	12.5/27	100-1500


• Please note: Custom struts available upon request.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 14/28 STANDARD RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK28-295/100N	105	295	195	14/28	100-2000
GSK28-330/100N	125	330	205	14/28	100-2000
GSK28-375/100N	150	375	225	14/28	100-2000
GSK28-405/100N	165	405	240	14/28	100-2000
GSK28-430/100N	175	430	255	14/28	100-2000
GSK28-450/100N	195	450	255	14/28	100-2000
GSK28-505/100N	210	505	295	14/28	100-2000
GSK28-525/100N	220	525	305	14/28	100-2000
GSK28-550/100N	240	550	310	14/28	100-2000
GSK28-595/100N	260	595	335	14/28	100-2000
GSK28-630/100N	280	630	350	14/28	100-2000
GSK28-700/100N	310	700	390	14/28	100-2000
GSK28-750/100N	335	750	415	14/28	100-2000
GSK28-830/100N	375	830	455	14/28	100-2000
GSK28-900/100N	410	900	490	14/28	100-2000
GSK28-1100/100N	500	1100	600	14/28	100-2000


• Please note: Custom struts available upon request.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 6/15 STAINLESS 316 RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSSK15-155/050N	040	155	115	6/15	50-400
GSSK15-195/050N	060	225	165	6/15	50-400
GSSK15-235/050N	080	235	155	6/15	50-400
GSSK15-255/050N	080	255	175	6/15	50-400
GSSK15-275/050N	100	275	175	6/15	50-400
GSSK15-315/050N	120	315	195	6/15	50-400
GSSK15-375/050N	150	375	225	6/15	50-400
GSSK15-390/100N	160	390	230	6/15	50-400

• Please note: Struts supplied without end fittings.




MARTINS TRAILER PARTS Pty. Ltd.

4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156

Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)


# Martins Trailer Parts

## LIFTEASY 8/18 STAINLESS 316 RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSSK18-310/100N	120	310	190	8/18	100-700
GSSK18-410/100N	170	410	240	8/18	100-700
GSSK18-510/100N	220	510	290	8/18	100-700
GSSK18-585/100N	255	585	330	8/18	100-700
GSSK18-610/100N	270	610	340	8/18	100-700
GSSK18-710/100N	320	710	390	8/18	100-700


- Please note: AGS recommend any strut gassed beyond 600N to have S/Steel ball cups attached.
- Please note: Struts supplied without end fittings.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 10/22 & 12.5/27 STAINLESS 316 RANGE



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSSK22-710/100N	305	710	405	10/22	100-1100
GSSK22-820/100N	360	820	460	10/22	100-1000
GSSK27-530/100N	215	530	315	12.5/27	100-1600
*GSSK27-910/100N	415	910	495	12.5/27	100-1500
*GSSK27-1100/100N	500	1100	600	12.5/27	100-1500


- Please note: Struts supplied without end fittings.



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY CABINET SPRINGS



Product Code	(A) mm Stroke Length	(B) mm Extended Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Range
GSK15-195/050N (KW01)	060	195	135	6/15	30-400
GSK15-245/050N (KW01)	085	245	160	6/15	30-400
GSK15-278/050N (KW01)	100	278	178	6/15	30-400
GSK15-195/050N (KW02)	060	195	135	6/15	30-400
GSK15-245/050N (KW02)	085	245	160	6/15	30-400
GSK15-278/050N (KW02)	100	278	178	6/15	30-400
GSK15-195/050N (KW03)	060	195	135	6/15	30-400
GSK15-245/050N (KW03)	085	245	160	6/15	30-400
GSK15-278/050N (KW03)	100	278	178	6/15	30-400

• Please note: Custom struts available upon request.



(KW02)




(KW03)



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY 10-22 & 10-27 LOCKING RANGE



Product Code	(A) mm Stroke Length	(B) mm Ext. Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	Force Range Newton
GSKL22-270/100N	070	270	200	10/22	100-600
GSKL22-332/100N	105	332	227	10/22	100-600
GSKL22-390/100N	120	390	270	10/22	100-600
GSKL22-515/100N	180	515	335	10/22	100-600
GSKL22-610/100N	200	610	410	10/22	100-600
GSKL27-210/100N	050	210	160	10/27	100-800
GSKL27-255/100N	045	255	210	10/27	100-800
GSKL27-270/100N	070	270	200	10/27	100-800
GSKL27-290/100N	080	290	210	10/27	100-800
GSKL27-304/100N	090	304	214	10/27	100-800
GSKL27-407/100N	130	407	277	10/27	100-800
GSKL27-515/100N	180	515	335	10/27	100-800

• Please note: Custom struts available upon request.


Hydraulic Release	Size (mm)	Specs	Product Code
10/22 - 10/27	0730mm	Release head, hydraulic cable & button	GSKHYD-0730
10/22 - 10/27	0940mm	Release head, hydraulic cable & button	GSKHYD-0940
10/22 - 10/27	1400mm	Release head, hydraulic cable & button	GSKHYD-1400
10/22 - 10/27	1800mm	Release head, hydraulic cable & button	GSKHYD-1800
Cable release	Size (mm)	Specs	Product Code
10/22 - 10/27	0500mm	Cable release with nuts	GSKCR-0500
10/22 - 10/27	0780mm	Cable release with nuts	GSKCR-0780
10/22 - 10/27	1000mm	Cable release with nuts	GSKCR-1000
10/22 - 10/27	1400mm	Cable release with nuts	GSKCR-1400



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY CHAIR STRUTS




Product Code	L	B	V	A	B	C	Force N
GSKCS28-080S	315	080	180	305	080	208	400
GSKCS28-100S	352	100	200	347	100	232	400
GSKCS28-140S	417	140	233	414	140	250	400
GSKCS28-200S	540	200	305	535	200	320	400
GSKCS28-270S	690	270	370	705	270	420	400




MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY SEAT DAMPER



Product Code	(A) mm Stroke Length	(B) mm Ext. Length	(C) mm Compressed Length	D1mm D2mm Piston Rod/Cylinder	F1 (N) Force Aval
GSKD27-214/100N	080	214	134	10/27	250 & 400
GSKD27-260/100N	095	260	165	10/27	250
GSKD27-295/100N	110	295	185	10/27	250



MARTINS TRAILER PARTS Pty. Ltd.

4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156

Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)


# Martins Trailer Parts

## LIFTEASY PROTECTION TUBE & OIL SEALS

The LiftEasy tubing has been designed to protect the shaft on the gas strut from damage on applications where the strut may be exposed to harsh environments. The tubing comes with a unique breathing grommet which allows the strut to have continuous air flow and expel any moisture content.

The LiftEasy tubing was originally designed for the camper industry where it has been successful in protecting struts against stone chips and other debris that may cause the strut to fail. In addition, it's also been widely used in manufactured products where the strut may be exposed to heat, grease and other foreign matter.


Product Code	Size (mm)	Specs
GSKTUBE22	1000mm OD 27mm ID 25mm	1000mm long to suit 10/22 shaft OD 27mm ID 25mm
GSKGROMET	27mm Outside Dia	Grommet to suit 10/22 shaft OD 25 ID 10mm
GSKSEAL06	Oil Seal ID 6mm OD 13mm	LiftEasy End Fitting Oil Seal ID 6mm OD 13mm
GSKSEAL08	Oil Seal ID 8mm OD 16mm	LiftEasy End Fitting Oil Seal ID 8mm OD 16mm
GSKSEAL10	Oil Seal ID 10mm OD 20mm	LiftEasy End Fitting Oil Seal ID 10mm OD 20mm
GSKSEAL12	Oil Seal ID 12mm OD 25mm	LiftEasy End Fitting Oil Seal ID 12mm OD 25mm
GSKSEAL14	Oil Seal ID 14mm OD 25mm	LiftEasy End Fitting Oil Seal ID 14mm OD 25mm



MARTINS TRAILER PARTS Pty. Ltd.  
4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY ACCESSORIES



MARTINS TRAILER PARTS Pty. Ltd.  
4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY ACCESSORIES

	PRODUCT CODE	SPECIFICATIONS	Metric thread & pitch
1.	GSKBRACKET1	Zinc plated right angle internal 10mm ball stud. 18mm centres. 3mm thick	
2.	GSKBRACKET2	Zinc plated right angle external 10mm ball stud. 18mm centres. 3mm thick	
3.	GSKBRACKET3	Zinc plated flat bracket 10mm ball stud. 30mm centres. 3mm thick	
4.	GSKBRACKET4	Zinc plated right angle 13mm internal ball stud. 20mm centres. 4mm thick	
5.	GSKBRACKET5	Zinc plated right angle 13mm external ball stud. 20mm centres 4mm thick	
new	GSKBRACKET6	Zinc plated flat bracket 13mm ball stud. 30mm centres. 4mm thick	
6.	GSSKBRACKET6	316 Stainless steel right angle internal 10mm ball stud. 18mm centres. 3mm thick	
7.	GSSKBRACKET7	316 stainless steel right angle external 10mm ball stud. 18mm centres. 3mm thick	
8.	GSSKBRACKET8	316 Stainless steel flat bracket 10mm ball stud. 30mm centres. 3mm thick	
9.	GSSKBRACKET9	316 stainless No: 4 Long right angle external ball 55mm centres. 3mm thick	
10.	GSSKBRACKET10	316 stainless No: 4 Long right angle internal ball 55mm centres. 3mm thick	
11.	GSKCUPPM6	Plastic 10mm cup with external retaining clip. 18mm centres	M6 x 1.0
12.	GSKCUPAM6	Plastic 10mm 25 degrees ball cup with ext. retaining clip. 18mm centres	M6 x 1.0
13.	GSSKCUPP6	Plastic 10mm ball cup with external S/S retaining clip. 18mm centres	M6 x 1.0
14.	GSKCUPM6	Metal 10mm metal ball cup with ext. retaining clip. 18mm centres	M6 x 1.0
15.	GSKCUPM8	Metal 10mm metal ball cup with ext. retaining clip. 18mm centres	M8 x 1.25
16.	GSKCUPIM6	Metal 10mm metal ball cup internal clip. 18mm centres	M6 x 1.0
17.	GSKCUPIM8	Metal 10mm metal ball cup internal clip. 20mm centres	M8 x 1.25
18.	GSSKCUPM6	316 Stainless 10mm ball cup with external retaining clip. 18mm centres	M6 x 1.0
19.	GSSKCUPM8	316 Stainless 10mm ball cup with external retaining clip. 18mm centres	M8 x 1.25
20.	GSKCUP3M6	Metal 10mm metal ball cup with ext. retaining clip. 30mm centres	M6 x 1.0
21.	GSKCUP3M8	Metal 10mm metal ball cup with ext. retaining clip. 30mm centres	M8 x 1.25
22.	GSKCUPZM8	P/coated 13mm cup with external retaining clip. 30mm centres	M8 x 1.25
23.	GSKCUPZM10	P/coated 13mm cup with external retaining clip. 30mm centres	M10 x 1.5
24.	GSKCUPPM8	P/coated 13mm cup with external retaining clip. 20mm centres	M8 x 1.25
25.	GSKCUPM10	P/coated 13mm cup with external retaining clip. 20mm centres	M10x1.5
26.	GSSKCUP13M8	316 Stainless 13mm ball cup with external retaining clip. 20mm centres	M8 x 1.25




MARTINS TRAILER PARTS Pty. Ltd.

4 Katanning St, Bayswater. WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156

Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY ACCESSORIES



MARTINS TRAILER PARTS Pty. Ltd.  
4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)

# Martins Trailer Parts

## LIFTEASY ACCESSORIES

	PRODUCT CODE	SPECIFICATIONS	Metric thread & pitch
27.	GSKEYEL8M8	Metal eyelet 10mm thick 8mm dia hole 29mm centres	
28.	GSKEYEL10M8	Metal eyelet 10mm thick 10mm dia hole 29mm centres	M8x1.25
29.	GSKEYEZM6	Zinc eyelet 5mm thick 8mm dia hole 28mm centres	M8x1.25
30.	GSKEYEZM8	Zinc eyelet 5mm thick 8mm dia hole 30mm centres	M6x1.0
31.	GSSKEYEM6	316 Stainless Steel eyelet 5mm thick 8.0mm dia hole 18.0mm centres	M8x1.25
32.	GSKEYEP8M6	P/coated eyelet 5mm thick 8mm dia hole 18mm centres	M6 x 1.0
33.	GSKEYEP6M6	P/coated eyelet 5mm thick 6mm dia hole 18mm centres	M6 x 1.0
34.	GSKEYE6M6	Metal eyelet 10mm thick 6mm dia hole 18mm centres	M6 x 1.0
35.	GSKEYE8M6	Metal eyelet 10mm thick 8mm dia hole 18mm centres	M6x1.0
36.	GSKEYE8M8	Metal eyelet 10mm thick 8mm dia hole 18mm centres	M6x1.0
37.	GSKEYE10M8	Metal eyelet 10mm thick 10mm dia hole 18mm centres	M8x1.25
38.	GSKSTUD610	10mm metal ball stud 20mm long thread	M8x1.25
39.	GSKSTUD10	10mm metal ball stud 12mm long thread	M6x 1.0
40.	GSKSTUD13	13mm metal ball stud 15mm long thread	M8 x 1.25
41.	GSKSTDL10	10mm metal ball stud 25mm long thread	M8 x 1.25
42.	GSKSTDL13	13mm metal ball stud 25mm long thread	M8 x 1.25
43.	GSSKSTUD10	10mm 316 Stainless steel ball stud 12mm long thread	M8 x 1.25
44.	GSSKSTUD13	13mm 316 Stainless steel ball stud 15mm long thread	M8 x 1.25
45.	GSKRODM6	Spherical rod end 33.0mm centres 6.0mm dia hole	M8 x 1.25
46.	GSKRODM8	Spherical rod end 35.0mm centres 8.0mm dia hole	M6 x 1.0
47.	GSKRODM10	Spherical rod end 44.0mm centres 10.0mm dia hole	M8 x 1.25
48.	GSKCLEVISM6	Clevis yellow passified 25mm centres with ret. clip 6mm dia hole	M10x 1.5
49.	GSKCLEVISM6L	Clevis yellow passified 35mm centres with ret. clip 6mm dia hole	M6x1.0
50.	GSKCLEVISM8	Clevis yellow passified 32mm centres with ret. clip 8mm dia hole	M6x1.0
51.	GSKCLEVISZ8	Clevis yellow passified 40mm centres with ret. clip 10mm dia hole	M8x1.25
52.	GSKCLEVISM10	Clevis yellow passified 40mm centres with ret. clip 10mm dia hole	M8x1.25
53.	GSKSTRDM6	Metal studded rod 30mm centres inc. rubber boot.	M10x1.5
54.	GSKSTRDM8	Metal studded rod 36mm centres inc. rubber boot.	M6 x 1.0
55.	GSKCR0001	Cable release head GSHC 30mm centres 10mm dia hole	M8 x 1.25
56.	GSKCR0002	Cable release head 30mm centres 8.0mm dia. hole	M10x1.0



MARTINS TRAILER PARTS Pty. Ltd.  
 4 Katanning St, Bayswater, WA. 6053. Ph: 08 9279 5777 Fax: 08 9377 1156  
 Web: [www.trailerparts.net.au](http://www.trailerparts.net.au) E-mail: [sales@trailerparts.net.au](mailto:sales@trailerparts.net.au)